



**OFFICE OF THE CHAIRMAN & MANAGING DIRECTOR
M.P.MADHYA KSHETRA VIDYUT VITARAN CO. LTD.
(A Wholly Owned Govt. of M.P.Undertaking)**

NISHTHA PARISAR, BIJLINAGAR, GOVINDPURA, BHOPAL-462023

Phone: 2602033-36, 2678325, 2678280, Fax No.2589821 E.mail ce_purchase@mpmkvvc.com

Ref. No.CMD/MK/04/ P-I/ 1129

Bhopal, dated 25.06.11

CORRIGENDUM

The following amendments are made based on representation submitted by firms which may please be noted before submission of offer against tender enquiry No. CMD/MK/04/P-I/71/741 for supply of 3 Phase 4 Wire -/1 Amps and 3 Phase 3 Wire -/1 Amps, HT, LCD, ISI Marked, Accuracy Class 0.2S Electronic Trivector Energy Meters with Optical Communication Port Rs-232 Along with GSM/GPRS Modem:

Sr. No.	Reference	Written as	Amended/ Clarified as
1	Clause No. 7 of Annexure III, (Page-7)	Acceptance of material: On receipt of first lot in consignee Area Store, One (1) sample meter shall be selected and sent for conducting Type Test at any NABL lab viz. CPRI / ERDA / ERTL etc. The type test charges shall be borne by the supplier.	Acceptance of material: On receipt of first lot in consignee Area Store, One (1) sample meter shall be selected and sent for conducting selected Type Test at any NABL lab viz. CPRI / ERDA / ERTL etc.

The due date of submission of tender shall now be **08.07.11** instead of **25.06.11**.

Please arrange to submit your offer along with 1 No. sample meter (either 3 Phase 4 Wire or 3 Phase 3 Wire) on 08.07.11 upto 3.00 P.M. which will be opened on the same date at 3.30 p.m.

The other details, terms & conditions of the original tender enquiry will remain the same.

(Sanjeev P. Puranik)
**CHIEF GENERAL MANAGER (PUR),
O/O CMD, MPMKVV CO.LTD. BHOPAL**